



LED Compact S Built in Scaler

Special Features

- Easy to secure clear visibility of operation spot with LED light (100,000 Lux)
- Regulator controls output power moderately in different quantity of tartar
- Circuit module with digital system works more accurately

Specification

- Working frequency : 24-32kHz
- Power supply : AC 24V, 50/60Hz
- Water supply pressure : 1-5bar



• Optic Handpiece



• Tip with holder



• Torque Wrench



• Autoclave box



• Module




• Hanes cable



• Cable



SCALER TIPS



- D1 : for scaling in wide thick proximal surface
- D2 : for scaling generally
- D3 : for scaling in deep periodontium
- D4 : for scaling generally & proximal surface
- D5 : for scaling heavy tartar & removal orthodontic cements

Compact S Built in Scaler

Special Features

- Feedback system for built in circuit module keeps constant strong power
- Regulator controls output power moderately in different quantity of tartar
- Circuit module with digital system works more accurately

Specification

- Working frequency : 24-32kHz
- Power supply : AC 24V, 50/60Hz
- Water supply pressure : 1-5bar





Feedback system for built in circuit module keeps constant strong power. No heat & No fatigue in the hand if used for long time. The effective removal for tartar, bridges, crowns and root pins, etc.

Special Features

- All function is operated by new digital system
- 10 of LED lamps show output power degree
- One-touch mode of foot switch avoids fatigue on foot during treatment
- Very small size, light weight

Cleanse S⁺ Ultrasonic Piezo Scaler

Specification

- Working frequency : 24-32kHz
- Power supply : DC 24V, 1.7A
- Transformer : AC 100-240V, 50/60Hz
- Water supply pressure : 1-5bar



Before



After