

ULTRA DELUXE IMPLANT MOTOR

- Swiss imported brushless motor
- HD large format display
- User interface intuitive and simple
- High quality motor cable
- Peristaltic pump
- Multi-function foot pedal



CUSTOM MODE

Various clinical diagnosis and treatment in one machine
AP implant machine is not just an implant machine

1:5

For cutting

1:1

For polishing

16:1

For endo

20:1

For implant

SWISS IMPORTED BRUSHLESS MOTOR

Precise torque and speed, fast response, more accurate treatment,

Powerful torque output up to **80N·cm**



HIGH TORQUE | Strong power, smooth treatment

QUICK RESPONSE | Sensitive response, Smooth operation

LOW NOISE | Working quietly, comfortable treatment

LONG SERVICE LIFE | Minimal wear, longer service life

7" INCH

HD LARGE FORMAT DISPLAY


Super touch screen, graphical display of functions, precise fingertip control.

▪ Visualisation ▪ Touchable ▪ Sterilizable ▪ Multi-mode



USER INTERFACE INTUITIVE AND SIMPLE

The LCD color screen clearly displays the steps of each step, the touch operation can be set to set the parameters, the operation is simpler



HIGH QUALITY IMPLANT CONTRA ANGLE

20:1

With AP implant contra angle , the whole implant machine has better performance, higher cost-effective.

- Imported bearings
- Unique gear structure
- Detachable structure
- Long service life



HIGH QUALITY MOTOR CABLE



PERISTALTIC PUMP



WATERPROOFING

Wipe clean, clean without scruples



MUTE

Quiet and comfortable , use relievedly



WATER PIPE REPLACEMENT

Convenient replacement, anti-Cross-Infection



MULTI-FUNCTION FOOT PEDAL

Easy operation, releases hands

- Water volume control
- Program control
- Forward and reverse control



IMPLANT MOTOR PARAMETERS

Rotation Speed Range	100-40,000 rpm
Torque Range/Gear20:1	5N·cm-80N·cm
Max Pump Output	110ml/min
Main Unit Dimensions	277mm*245mm*109mm
Motor Dimensions	φ23.3*88
Motor Weight	150g
Power Supply	AC90-230V 50/60Hz